





with it's
modern technology is
by your side






BMS 230 DG

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		




BMSY 230 DG

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		



BMSY 230 DGH

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		




BMS 270 DG

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		



BMSY 270 DG

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		




BMSY 270 DGH

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		




BMSO 230

	○	□	□
0°	230	240x230	230
1,0/1,3 kW	2730x27x0,9mm		



BMH 170

	○	□	□
0°	170	200x120	145
45°	110	110x110	120
0,75 kW	350x30x1,5mm		



BMSY 350 M

	○	□	□
0°	350	570x260	350
45° L	350	460x180	350
2,2 kW	4160x34x1,1mm		

Explanatories



Manual



0°
Mitre Capacity



60° / 0° / -45°
Mitre Capacity



Semiautomatic



0° / -45°
Mitre Capacity



60° / 0° / -60°
Mitre Capacity




Automatic



0° / -60°
Mitre Capacity




60° / 0°
Mitre Capacity




BMS 280

	○	□	□
0°	280	350x200	280
45° L	240	240x180	210
1,5 kW	3400x27x0,9mm		




BMSY 280

	○	□	□
0°	280	350x200	280
45° L	240	240x180	210
1,5 kW	3400x27x0,9mm		



BMSO 280

	○	□	□
0°	280	280x250	270
1,5 kW	3400x27x0,9mm		




BMS 320

	○	□	□
0°	320	440x220	320
45° L	280	280x200	260
1,5 kW	3660x27x0,9mm		



BMSY 320

	○	□	□
0°	320	440x220	320
45° L	280	280x200	260
1,5 kW	3660x27x0,9mm		




BMSO 320

	○	□	□
0°	320	320x300	300
1,5 kW	3660x27x0,9mm		



BMS 320 L

	○	□	□
0°	330	610x310	330
45° L	320	460x180	320
2,2 kW	4160x34x1,1mm		



BMSY 320 L

	○	□	□
0°	330	610x310	330
45° L	320	460x180	320
2,2 kW	4160x34x1,1mm		



BMSO 320 L

	○	□	□
0°	330	500x320	330
2,2 kW	4160x34x1,1mm		



1.2 MT ROLLER TABLE



SITI GEARBOX




BLADE BRUSH



INVERTER




HEIGHT ADJUSTMENT
SWITCH



HYDROMECHANIK
BLADE TENSION



HYDRAULIC VICE




BMSY 440

	○	□	□
0°	440	610x440	440
45° L	410	410x440	410
3 kW	5200x34x1,1mm		




BMSO 440

	○	□	□
0°	440	580x440	440
3 kW	5200x34x1,1mm		



BMS 320 G

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
1,5 kW	3660x27x0,9mm		



BMSY 320 G

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
1,5 kW	3660x27x0,9mm		



BMS 320 GL

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		




BMSY 320 GL

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		



BMSO 320 GH

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
2,2 kW	3660x27x0,9mm		



BMSO 320 GLH

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		



BMSO 320 H

	○	□	□
0°	320	350x320	320
2,2 kW	3660x27x0,9mm		



HEIGHT ADJUSMENT SWITCH



1,2 MT ROLLER TABLE




CONTROL PANEL



BLADE BRUSH



SECURITY SWITCH



SITI GEARBOX



SAP COOLANT PUMP



BMSO 320 LH

	○	□	□
0°	320	610x320	320
2,2 kW		4160x34x1,1mm	



BMSO 325 CH

	○	□	□
0°	325	350x325	325
2,2 kW		4380x34x1,1mm	



BMSO 360 CH

	○	□	□
0°	360	455x360	360
3 kW		4800x34x1,1mm	



BMSO 460 CH

	○	□	□
0°	460	610x460	460
4 kW		5200x41x1,3mm	



BMSO 560 CH

	○	□	□
0°	560	670x560	560
4 kW		6000x41x1,3mm	



BMSY 360 DGH / NC

	○	□	□
0°	360	610x360	360
+45° R	360	490x360	360
+60° R	340	300x360	300
-45° L	360	490x360	360
-60° L	360	360x360	360
3 kW		5000x34x1,1mm	




BMSY 440 DGH / NC

	○	□	□
0°	440	610x440	440
+45° R	410	410x440	410
+60° R	320	250x440	250
-45° L	410	410x440	410
-60° L	320	285x440	285
3 kW		5200x34x1,1mm	




BMSY 325 CGH

	○	□	□
0°	325	450x320	320
45° R	305	270x320	270
60° R	190	180x240	180
2,2 kW		4380x34x1,1mm	



BMSY 360 CGH

	○	□	□
0°	360	700x360	360
45° R	360	450x360	360
60° R	325	280x360	290
3 kW		5200x34x1,1mm	




SITI GEARBOX



LINEER WAY



FEEDING VICE



HYDRAULIC CLAMPING



SENSITIVE PRESSURE



PLC CONTROL PANEL



BMSY 440 CGH			
	○	□	□
0°	450	695x425	425
45° R	430	430x425	425
60° R	320	260x425	290
4 kW 5400x41x1,3mm			



BMSY 540 CGH			
	○	□	□
0°	540	750x540	540
45° R	510	450x540	450
60° R	270	250x540	250
4 kW 6000x41x1,3mm			



BMSY 810 CGH			
	○	□	□
0°	810	810x770	770
45° R	555	555x770	555
60° R	320	310x770	310
4 kW 8200x41x1,3mm			



BMSO 325 CGH			
	○	□	□
0°	325	400x315	315
45° R	300	300x315	300
60° R	200	200x315	200
2,2 kW 4380x34x1,1mm			



BMSO 360 CGH			
	○	□	□
0°	360	610x360	360
45° R	360	450x360	360
60° R	325	280x360	290
3 kW 5200x34x1,1mm			



BMSO 440 CGH			
	○	□	□
0°	450	610x425	425
45° R	430	430x425	425
60° R	320	260x425	290
4 kW 5400x41x1,3mm			



BMSO 540 CGH			
	○	□	□
0°	540	670x540	540
45° R	510	450x540	450
60° R	270	250x540	250
4 kW 6000x41x1,3mm			



BMSY 360 CDGH			
	○	□	□
0°	360	640x360	360
+45° R	360	390x360	360
-45° L	360	390x360	360
+60° R	310	250x360	270
3 kW 5000x34x1,1mm			



BMSY 440 CDGH			
	○	□	□
0°	440	640x440	440
+45° R	400	400x440	400
-45° L	390	390x440	390
+60° R	250	250x440	250
4 kW 5200x41x1,3mm			




BMSY 560 DG			
	○	□	□
0°	560	820x540	540
+45° R	550	550x540	540
-45° L	550	550x540	540
+60° R	360	360x540	360
4 kW 6800x41x1,3mm			



BMSY 650 DG NC			
	○	□	□
0°	650	1000x600	600
+45° R	650	660x600	600
-45° L	650	660x600	600
+60° R	440	440x600	440
7,5 kW 8400x54x1,6mm			




BMSO 325 C			
	○	□	□
0°	325	350x325	325
2,2 kW 4160x34x1,1mm			




BMSO 360 C

	○	□	□
0°	380	430x380	380
3 kW	4800x34x1,1mm		



BMSO 460 C

	○	□	□
0°	460	470x460	460
4 kW	5200x41x1,3mm		



BMSO 560 C

	○	□	□
0°	560	570x560	560
4 kW	6000x41x1,3mm		




BMSY 325 C

	○	□	□
0°	325	450x325	325
45°	250	250x325	250
2,2 kW	4160x34x1,1mm		




BMSY 360 C

	○	□	□
0°	380	520x380	380
45°	300	300x380	300
3 kW	4800x34x1,1mm		



BMSY 460 C

	○	□	□
0°	460	650x460	460
45°	380	380x460	380
4 kW	5200x41x1,3mm		



BMSY 560 C

	○	□	□
0°	560	750x560	560
45°	410	410x560	410
4 kW	6000x41x1,3mm		



BMSY 810 C

	○	□	□
0°	810	850x810	810
45°	480	480x810	480
4 kW	8200x41x1,3mm		



BMSY 820 C

	○	□	□
0°	820	850x820	820
45°	480	480x820	480
7,5 kW	8200x54x1,6mm		



BMSY 1020 C

	○	□	□
0°	1020	1020x1020	1020
45°	675	675x1020	675
7,5 kW	9500 x 54 x 1,6 mm		



BMSY 1110 C

	○	□	□
0°	1110	1110x1110	1110
11 kW	10500x67x1,6mm		



BMSY 1113 C

	○	□	□
0°	1110	1110x1300	1110
11 kW	10900x67x1,6mm		

Special Roller Table For BMSY 650 DG



3 MT MOTORIZED ROLLER TABLE FOR BMSY 440 DGH



3 MT MOTORIZED ROLLER TABLE FOR BMSY 820 C



3 MT ROLLER TABLE FOR BMSY 810 C



BEKA - MAK MAKİNE SANAYİ VE TİCARET A.Ş.
İzmir Yolu 25. Km 16370 Başköy Bursa / Türkiye
Tel : +90 (224) 449 03 61
Fax : +90 (224) 449 03 60
E-mail : info@bekamak.com
www.bekamak.com



MEMBER OF



Türkiye Makina
İmalatçılar Birliği
www.mib.org.tr

European Committee for
Cooperation of the Machine Tool Industries
www.cecimo.be

www.kosgeb.gov.tr



Baskı: 29.09.2014


Hydraulic Top Clamping For
BMSY 1110 C



Laser Line Pointer



Multiple Segments



Hydraulic Top Clamping



Chip Conveyor For
BMSY 1110 C



Second Vice For BMSY 1110 C




Hydraulic Top Clamping For
PLC Machines



ILC Microsprey



Multiple Segments




Hydraulic Blade Tension



Chip Conveyor For
BMSY 650 DG



Chip Conveyor For
BMSO 360 CH



YOUR BEKA - MAK PARTNER

